

OE-29-615



Frame:29"×19"Aluminum

Fork:Magnesium alloy Remote Control Lockout Air Fork

Chainwheel:SHIMANO Ty301

Tire:CHAOYANG 29*2.1

Rim:Double wall Aluminum Rim

Hub:QUANDO Aluminum

Freewheel:SUNSHINE 9pcs

Brake:SHIMANO MT200 Hydraulic Disc Brake

Deraillieur:SHIMANO M2000 27SP

Pedal:Full Aluminum

OE-27.5-314



Frame:27.5"×17"Aluminum
Fork:Aluminum Crown Lockout Suspension Fork
Handlebar&Stem&Seatpost: Aluminum
Chainwheel:SULANE SLH series Aluminum
Tire:CST 27.5*2.10

Rim:Double wall Aluminum Rim
Brake:X-SPARK Hydraulic Disc Brake
Freewheel:ATA 13pcs
Shifter :L-TWOO
R-Derailleur:L-TWOO 13SP

OE-27.5-838



Frame:27.5"×17" Aluminum

Fork:Aluminum Crown Suspension Fork

Chainwheel:PROWHEEL Aluminum Crank

Tire:COMPASS 27.5*2.125

Rim:Double wall Aluminum Rim

Brake:JAK Disc Brake

Freewheel:SHIMANO 7pcs

Shifter :SHIMANO Ef500

Derailleur:SHIMANO 21SP F:TY500 R:TY300

Pedal:Full Aluminum

OE-29-645-1



Frame:29"×19" Aluminum

Fork:Magnesium alloy Remote Control Lockout Air Fork

Chainwheel:SHIMANO TY301

Tire:CST 29*2.1

Rim:Double wall Aluminum Rim

Hub:SHIMANO TX505

Freewheel:SUNSHINE 9pcs

Brake:SHIMANO MT200 Hydraulic Disc Brake

Derailleur:SHIMANO M2000 27SP

Pedal:Full Aluminum

OE-27.5-860



Frame: MeiHang, 27.5" * 18" magnesium alloy MTB Frame
Fork: 27.5 Full Alloy Suspension front fork with lock-out
Headset: NECO, H117DM, hidden headset
Tire: CST, C1820
Crank: Prowheel, AC49

Chain: YBN, 9-speed
Left & Right Shifter, Sensah, ST-EX9-3, 3Speed; ST-EX9-9, 9Speed
Front Derailleur, Shimano, AFDTZ500DSDM6
Rear Derailleur, Sensah, RD MX9-A Straight-fitting long legs,
9Speed position

OE-26-833



Frame:26"×18" Aluminum
Fork:Aluminum Crown Lockout Suspension Fork
Chainwheel:PROWHEEL Aluminum Crank
Tire:CHAOYANG 26*2.10
Rim:Double wall Aluminum Rim

Brake:X-SPARK Hydraulic Disc Brake
Freewheel:ATA 8pcs
Shifter :L-TWOO A3-3-8
Derailleur:SHIMANO 24SP F:TY500 R:TY300
Pedal:Full Aluminum

0E-24-727



Frame: 24" * 13.5" Alloy Frame
Tire & Tube: Kenda K1027 24 * 2.80
Finger Shifter: Ltwo 9 Speed
Rear Derailleur: Ltwo 9 Speed
Front Fork: 24 inch Half-Alloy lockout Front Fork
Bottom Bracket: Neco Sealed bottom bracket

Head Set: Neco 117D
Chain: KMC
Freewheel: 9 Pieces
Pedal: Alloy pedal
Hub: 36H Bearing Alloy

OE-26-665



Frame:26"×15"Aluminum

Fork:Aluminum Crown Suspension Fork

Chainwheel: Aluminum Crank

Tire:MILANDA 26*2.125

Rim:Double wall Aluminum Rim

Brake:X-SPARK Hydraulic Disc Brake

Freewheel:SHIMANO 7pcs

Shifter :L-TWOO A3

Deraillieur:SUNRUN 24SP

Pedal:Full Aluminum

OE-20-637



Frame:20"*11.5" Alloy Frame
Tire&Tube:KenDa K1027 20*2.80
Finger Shifter:Ltwoo 7 Speed
Rear Deraillieur:Ltwoo 7 Speed
Front Fork:20inch Half-Alloy lockout Front Fork
Bottom Bracket:Neco Sealed bottom bracket

Head Set:Neco 117D
Chain:KMC
Freewheel:7 Pieces
Pedal:Alloy pedal
Hub:36H Bearing Alloy

OE-29-589



Frame: 29"×17" Aluminum
Fork: Aluminum Crown Lockout Suspension Fork
Stem: Aluminum
Tire: 29*2.125
Rim: Double wall Aluminum Rim

Brake: Mechanical Disc Brake
Freewheel: SHIMANO
Shifter : SAIGUAN
Derailleur: SAIGUAN 21SP
Pedal: Full Aluminum

OE-26-719



Frame:26"×17"Alloy
Fork:Alloy,Alloy shoulder lockout
Handlebar&Stem:Alloy
Tire: WanDa P1197D,26 *2.125
Rim:Alloy,26"*1.75*14G*36H
Freewheel:Shimano TZ21,7pcs

Brake:JAK
Shifter:Shimano EF50,L:3 R:7
Derailleur:Shimano TZ500
Pedal:Alloy

OE-26-639



Frame:26"×17" Aluminum
Fork:Steel Suspension Fork
Chainwheel: Aluminum Crank
Handlebar&Stem&Seatpost: Aluminum
Tire:WANDA 26*2.125

Rim:Double wall Aluminum Rim
Freewheel:Index 7pcs
Shifter :SHIMANO RS35
Deraillieur:SHIMANO 21SP
Pedal:Full Aluminum

OE-26-677



Frame:26"×19"Steel

Fork:Steel Lockout Suspension Fork

Tire: 26*2.125

Rim:Double wall Aluminum 40mm Rim

Brake:Mechanical Disc Brake

Derailler:SHIMANO 21SP

0E-29-349



Frame: 29" * 15" Bike Frame
Fork: Steel shoulder lockout front fork
Brake: Disc Brake, TuoLan T11
Shifter: SaiGuan 51-7
Deraillieur: SaiGuan

Crank: YongHua Sealed bottom bracket
Freewheel: SaiGuan 7 Pieces

OE-29-496



Frame: 29"×17" Steel
Fork: Steel Suspension Fork
Stem: Aluminum
Tire: 29*2.125
Rim: Double wall Aluminum Rim

Brake: Mechanical Disc Brake
Freewheel: SUNRUN FW-M828 8pcs
Shifter: SAIGUAN
Derailleur: SUNRUN 24SP
Pedal: Full Aluminum

OE-26-462



Frame: 26"×17" Steel
Fork: 26" Fork
Handlebar: Steel
Handle Stem: Alloy
Tire: WanDa P1197D 26 *2.125
Rim: Alloy, 26"×1.75*14G*36H

Freewheel: SaiGuan 7pcs
Brake: YinXing B01
Shifter: Shimano TX30-7; 21SP
Deraillieur: Shimano TZ500
Pedal: Black Plastic with Beads

OE-26-421



Frame:26"×15"Steel

Fork:Steel Suspension Fork

Stem: Aluminum

Tire: 26*2.125

Rim:Double wall Aluminum 40mm Rim

Deraillieur: SAIGUAN 21SP

OE-26-432



Frame: 26"×17" Steel
Fork: 26" Fork
Handlebar: Steel
Handle Stem: Alloy
Tire: WanDa P1197D 26 *2.125
Rim: Alloy, 26" *1.75*14G*36H

Freewheel: SaiGuan 7pcs
Brake: YinXing B01
Shifter: Shimano TX30-7; 21SP
Derailleur: Sunrun QD35A, R: Sunrun HG40A
Pedal: Black Plastic with Beads

OE-24-319



Frame:24"×16"Steel
Fork:24" Fork
Handlebar:Steel
Handle Stem:Alloy
Tire:24 *2.125
Rim:Alloy,24"*1.75*14G*36H

Freewheel:SaiGuan 7pcs
Brake:YX-C18,V Brake
Shifter:SaiGuan KD-03,L:3 R:7
Derailleur:F:Sunrun QD35A,R:Sunrun HG-04
Pedal:Black Plastic with Beads

OE-26-412



Frame: 26"×17" Steel
Fork: 26" Fork
Handlebar: Steel
Handle Stem: Alloy
Tire: WanDa P1197D 26 *2.125
Rim: Alloy, 26" *1.75 *14G *36H

Freewheel: SaiGuan 7pcs
Brake: YinXing B01
Shifter: SunRun KD80; 21 SP
Deraillieur: Sunrun QD35A, R: Sunrun HG40A
Pedal: Black Plastic with Beads

OE-24-319



Frame:24"×15"Steel

Fork: Steel Suspension Fork

Tire: 24*2.125

Rim:Double wall Aluminum 40mm Rim

Brake:Mechanical Disc Brake

Deraillieur: 1 SP

OE-26-550



Frame:26"×17"Steel

Fork:Steel Suspension Fork

Chainwheel:Aluminum Crank

Handlebar&Stem&Seatpost: Aluminum

Tire:WANDA 26*2.125

Rim:Double wall Aluminum Rim

Freewheel:Index 7pcs

Shifter:SHIMANO RS35

Deraillieur:SHIMANO 21SP

Pedal:Full Aluminum

OE-26-378



Frame:26"*19" inch Frame
Fork:26" Steel regid front fork
Brake:V Brake,TuoLan T11
Shifter:SaiGuan 41-3-6
Deraillieur: SaiGuan

Crank:YongHua Sealed bottom bracket
Freewheel:SaiGuan 6 Pieces

OE-26-408



Frame: 26"×18"Steel
Fork: Steel
Tire: 26*2.35
Brake: V Brake
Dynamo Light: 6V-2.4W

Deraillleur: SUNRUN 18SP

OE-26-243



Frame:26"×17"Aluminum
Fork: Aluminum Lockout Suspension Fork
Chainwheel: Aluminum Crank
Handlebar&Stem&Seatpost:ZOOM Aluminum
Tire:COMPASS 26*2.10

Wheel:Magnesium Alloy Integrated Wheel
Freewheel:SHIMANO 7pcs
Shifter :SHIMANO EF500
Derailleur:SHIMANO 21SP
Pedal:Full Aluminum

OE-26-374



Frame: 26"×18" Steel
Fork: Steel Fork with lockout
Tire: 26*2.35
Rim: Double wall Alloy 40mm Rim
Speed: 21SP
Shifter: SunRun

Deraillieur: SunRun
Freewheel: SunRun

OE-26-424



Frame: 26"×18"Steel

Fork: Steel Suspension Fork

Tire: 26*2.125

Rim: Double wall Aluminum 40mm Rim

Brake: Mechanical Disc Brake

Deraillleur: SAIGUAN 21SP

OE-20-356



Frame: 20"×15" Steel
Fork: Steel Fork with lockout
Tire: 20*2.35
Rim: Double wall Alloy 40mm Rim
Speed: 21SP
Shifter: SunRun

Deraillieur: SunRun
Freewheel: SunRun

OE-24-370



Frame: 24"×17" Steel

Fork: Steel Suspension Fork

Tire: 24*2.125

Rim: Double wall Aluminum 30mm Rim

Brake: V Brake

Deraillleur: SUNRUN 21 SP

OE-700C-144



Frame: 700C"×20" Aluminum

Fork: 700C" Aluminum

Tire: KENDA 700C*25C

Rim: Double wall Aluminum 60mm Rim

Freewheel: ATA 16T

Brake: C-STAR/Radius Caliper Brake

Derailleur: 1 SP

Pedal: Full Aluminum

OE-700C-992



Frame: 700C"×21" Aluminum
Fork: 700C" Aluminum
Tire: KENDA 700C*25C
Rim: Double wall Aluminum 40mm Rim
Freewheel: ATA 16T

Brake: C-STAR/Radius Caliper Brake
Deraillieur: 1 SP
Pedal: Full Aluminum

0E-700C-978



Frame:700C"*22" Alloy frame

Front Fork:700C*28.6 Alloy

Head Set:KenLi KL-310

Crank Set:KenLi KL-08A

Chain:KMCZ4101/2"*1/8"

Pedal: YongHua, YH-98X Alloy

Tire:KenDa, 700C*25C

BlackFreewheel:ATA

OE-700C-642



Frame:700C"×19"Aluminum
Fork:700C"Steel
Handlbar&Stem:Aluminum
Tire: KENDA 700C*25C
Rim:Double wall Aluminum 40mm Rim
Freewheel:ATA 16T

Brake:PROMAX Caliper Brake
Derailleur: Single Speed
Pedal:Plastic With Bead

OE-700C-088



Frame:700C"×19" Aluminum

Fork:700C" Aluminum

Tire:JILUER 700C*23C

Rim:Double wall Aluminum 40mm Rim

Freewheel:ATA 14-28T

Brake:SUNRUN Disc Brake

Derailleur:Micronew 18SP

Pedal:Full Aluminum

OE-700C-772



Frame:700C"×17"Aluminum
Fork:700C"Steel
Tire:COMPASS 700C*32C
Rim:Double wall Aluminum 25mm Rim
Freewheel:ATA 14-28T

Brake:YX V-Brake
Derailleur:SHIMANO 24SP
Pedal:Full Aluminum

OE-700C-829



Frame:700C"×19"Aluminum

Fork:700C" Aluminum

Tire:CHAOYANG 700C*28C

Rim:Double wall Aluminum 20mm Rim

Freewheel:ATA 14-28T

Brake:Z-STAR Caliper Brake

Deraillieur: SENSAB 18SP

Pedal:Full Aluminum

OE-700C-027



Frame:700C"×17"Aluminum
Fork:700C"Aluminum
Tire:COMPASS 700C*28C
Rim:Double wall Aluminum 40mm Rim
Freewheel:ATA 14-28T

Brake:YX Disc Brake
Derailleur:L-TWOO 18SP
Pedal:Full Aluminum

OE-700C-769



Frame:700C"×19"AluminumFork:700C"Steel

Tire:JILUER 700C*23C

Rim:Double wall Aluminum 20mm Rim

Freewheel:ATA 14-28T

Brake:Z-STAR Caliper Brake

Derailler: SENSAH 18SP

Pedal:Full Aluminum

OE-700C-983



Frame:700C"×18"Alloy
Fork:700C"*32C Alloy
Tire:KENDA 700C*28C
Rim:Double wall Alloy 40mm Rim
Freewheel:SHIMANO Tz500

Shifter:SHIMANO A070 14Speed
Derailleur: SHIMANO A070
Pedal:Full Alloy

OE-700C-498



Frame:700C"×17"Aluminum

Fork:700C"Steel

Tire:COMPASS 700C*25C

Rim:Double wall Aluminum 30mm Rim

Freewheel:ATA 7SP

Brake:YX V- Brake

Deraillieur:SHIMANO 21SP

Pedal:Full Aluminum

OE-700C-728



Frame:700C"×17"Aluminum

Fork:700C"Steel

Tire:COMPASS 700C*32C

Rim:Double wall Aluminum 30mm Rim

Freewheel:ATA 8SP

Brake:YX V- Brake

Derailleur:SHIMANO 24SP

Pedal:Full Aluminum

OE-700C-690



Frame:700C"×15"Alloy

Fork:700C"SteelTire:KENDA 700C*35C

Rim:Double wall Alloy 30mm Rim

Freewheel:ATA 13-32T

Shifter:SHIMANO EF500 24Speed

Deraillieur: SHIMANO F:TY500/R:M310

Pedal:Full Alloy

OE-700C-982



Frame:700C"×18"Aluminum
Fork:700C"Steel
Handlebar&Stem:ZOOM Aluminum
Tire:KENDA 700C*45C
Rim:Double wall Aluminum 25mm Rim

Freewheel:SHIMANO TZ21 14-28T
Brake:Z-STAR Aluminum Caliper Brake
Shifter:SHIMANO RS35 21 SP
Deraillieur:F:SHIMANO TZ500 R:SHIMANO TY300
Pedal:NECO PVC Pedal

OE-26-599



Frame:26"×15"Alloy
Fork:26" Steel
Handlbar&Stem:Aluminum
Tire: 26 *1.75
Rim:Double wall Aluminum 20mm Rim
Freewheel:ATA 14-28T 7PCS

Brake:YinXing Mechanical Disc Brake
Shifter:Shimano RS25 7SP
Deraillieur: R:Shimano TY21
Pedal:Half Alloy

OE-28-388



Frame: 28"×19" Alloy
Fork: 28" Steel
Tire: 28 *1.75
Rim: Double wall Alloy CNC Rim
Brake: Coaster Brake
Deraillieur: Single Speed

Basket: Steel , With Quick Release

OE-26-748



Frame:26"×15" Aluminum
Fork:26"Steel
Handlebar&Stem:Aluminum
Tire:CST 26 *1-3/8
Rim:Double wall Aluminum 25mm Rim

Freewheel:ATA 14-28T 7PCS
Brake:YX Aluminum Brake Lever
Shifter:SHIMANO RS25 21SP
Deraillieur:R:L-TWOO A2 R:SHIMANO TY31
Pedal:Half Aluminum

OE-26-669



Frame:26"×17" Aluminum
Fork:26"Steel
Handlebar&Stem:Aluminum
Tire:CHAOYANG 26 *1.50
Rim:Double wall Aluminum 25mm Rim

Freewheel:ATA 14-28T 7PCS
Brake:POWER Mechanical Disc Brake
Shifter:SHIMANO RS35 7SP
Derailleur: R:SHIMANO TZ500
Pedal:Half Aluminum

OE-26-345



Frame:26"×17"Steel

Fork:26"Steel

Stem:Aluminum

Chainwheel:32T Full Chaincover

Tire:26 *1-3/8

Rim:Aluminum Rim

Brake:F:Caliper Brake R:Band Brake

OE-24-468



Frame:24"×15"Aluminum
Fork:24"Steel
Stem:Aluminum
Tire: CHAOYANG 24*1.50
Rim:Double wall Aluminum 25mm Rim

Freewheel: 14-28T Index
Shifter:SHIMANO RS35 7SP
Deraillieur: R:SHIMANO TY21
Pedal:PP With Ball

OE-26-365



Frame:26"×17" Aluminum
Fork:26"Steel Stem:Aluminum
Tire: 26 *1.75
Rim:Double wall Aluminum 25mm Rim
Freewheel:14-28T Index

Brake:Steel V brake
Derailleur:SAIGUAN 7SP

OE-26-389



Frame:26"×16.5"Steel

Fork:26"Steel

Stem:Aluminum

Chainwheel:32T Full Chaincover

Tire: COMPASS 26 *1.75

Rim: Aluminum Rim

Brake:F: Caliper Brake R:Band Brake

OE-24-376



Frame:24"×15.5"Steel

Fork:24"Steel

Stem:Aluminum

Chainwheel:36T Single Chaincover

Tire: 24 *1.95

Rim: Aluminum Rim

Brake:F:Caliper Brake R:Band Brake

OE-20-368



Frame:20"×13.5"Steel

Fork:20"Steel

Stem:Aluminum

Chainwheel:36T Single Chaincover

Tire: 20 *2.125

Rim: Aluminum Rim

Brake:F:Caliper Brake R:Band Brake

0E-28-S488



Frame: 28"*21"*28/ 1-1/2 single beam Frame

Speed:1 Speed

Brake:Hand brake

Chain:TAYA TB410

Pedal:JZY Black Plastic Pedal

Tire&Tube:JZY 28/ 1-1/2

Spoke:13G CP

Rim:Steel Rim

OE-28-377



Frame:28"×23"Steel

Fork:28"Steel

Chainwheel:44T Full Chaincover

Tire: SHANTIAN 28*1-1/2

Rim: Aluminum Rim

Brake: Hand Brake

OE-20-456



Frame:20"×10.5"Steel

Fork:20"Steel

Handlebar:Free Style Type

Stem:Aluminum

Chainwheel:25T

Tire:20*2.10

Rim:Aluminum 36H

Brake:Z.STAR Aluminum U Brake

Pedal:Full Aluminum

OE-20-556



Frame:20"×10.5"Steel
Fork:20"Steel
Handlebar:Free Style Type
Stem:Aluminum Forged
Chainwheel:25T

Tire:WANDA 20*2.4
Rim:Aluminum 36H
Brake:YX Aluminum U Brake

OE-20-608



Frame:20"*10. 5" BMX Bike Frame
Brake:Z.STAR;RX-257D U brake
Front Fork:20"BMX front fork
Bottom Bracket:KenLi,KL-10
Crank:KenLi,KL-8902

Chain Ring:KenLi, KL-C117
Pedal: YongHua, YH-44X ALLOY
Chain:TaYa TB410
Hub:ShengFu SF-B17; ALLOY
Tire:KenDa 20*2.4 K1216 Black

OE-20-383



Frame:20"×10.5"Steel

Fork:20"Steel

Handlebar:Free Style Type

Chainwheel:25T

BB Set:One Piece Type

Tire:WANDA 20*3.0

Rim:Aluminum 36H

Brake:YX Aluminum V Brake

OE-20-425



Frame:20"×13"Steel

Fork:20"Steel

Handlebar:Free Style Type

Chainwheel:44T

BB Set:One Piece Type

Tire:20*3.0

Rim:Aluminum 68H

Brake:Disc Brake

OE-20-346



Frame:20"×11.5"Steel

Fork:20"Steel

Handlebar:Free Style Type

Chainwheel:44T

BB Set:One Piece Type

Tire:20*2.4

Rim:Aluminum 68H

Brake:V Brake


OE-16-689-2



Frame: 16"×9.5" Aluminum Folding
Fork: 16" Aluminum
Handlebar&Stem: Aluminum Folding
Seatpost: Aluminum
Tire: KENDA 16*1.75

Rim: Aluminum 36H
Brake: YX Caliper Brake
Derailleur: SUNRACE Internal 3SP

OE-16-689



Frame:16"×9.5"Steel

Fork:16"Steel

Handlebar&Stem:Steel Folding

Seatpost:Aluminum

Tire:KENDA 16*1.75

Rim:Aluminum 36H

Brake:YX Caliper Brake

Deraillieur:SUNRACE Internal 3SP

OE-22-534



Frame:22"×15"Steel Folding
Fork:22"Steel
Handlebar&Stem:Aluminum Folding
Tire:WANDA 22*1.75
Rim:Aluminum 36H

Brake:YX Aluminum V Brake
Freewheel:SHIMANO TZ500 14-28T
Shifter:SHIMANO RS35 12SP
Derailleur:SHIMANO Tz500

OE-20-502



Frame:20"×11.5"Steel Folding

Fork:20"Steel

Handlebar&Stem:Aluminum Folding

Tire:WANDA 20*1.75

Rim:Aluminum 36H

Brake:YX Aluminum V Brake

Freewheel:SHIMANO TZ500 14-28T

Shifter:SHIMANO RS35 6SP

Derailleur:SHIMANO Tz500

OE-20-405



Frame:20"×11.5"Steel Folding

Fork:20"Steel

Handlebar&Stem:Steel Folding

Tire:COMPASS 20*1.75

Rim:Aluminum 36H

Brake:Disc Brake

Freewheel:SHIMANO TZ500 14-28T

Shifter:SHIMANO RS35 7SP

Deraillieur:SHIMANO Ty31

OE-26-298



Frame:26"×17"Aluminum
Fork:Aluminum Crown Suspension Fork
Chainwheel:PROWHEEL Aluminum Crank
Tire:KENDA 26*4.0
Hub:QUANDO Aluminum

Brake:Hydraulic Disc Brake
Freewheel:SHIMANO 9pcs
Shifter :SHIMANO 2010-27SP
Deraillieur:SHIMANO 27SP
Pedal:Full Aluminum

OE-26-696



Frame:26"×17" Aluminum
Fork:Steel Suspension Fork
Tire:26*4.0
Hub:Steel
Brake:YX Disc Brake

Freewheel: 7pcs
Shifter :SHIMANO EF500
Deraillieur:SHIMANO 21SP
Pedal:PP

OE-20-993



Frame:20"×13.5"Aluminum
Fork:Aluminum Suspension Fork
Tire:CST 20*4.0
Hub:Aluminum
Brake:YX Disc Brake

Freewheel:SHIMANO 7pcs
Shifter :SHIMANO EF500 7SP
Deraillieur:SHIMANO TY31
Pedal:Full Aluminum

OE-26-507



Frame:26"x16" Steel Snow Suspension Bike
Fork:26" Steel Suspension Fork
Chainwheel:Steel
Tire:26"*4.0
Rim:Change to flat,whithout hole
Brake:YX Disc Brake

Freewheel:ATA 7pcs
Deraillieur:21 Speed
Pedal:Alloy Pedal

OE-26-578



Frame:26"*17" Alloy Bike Frame
Front Fork:Steel front fork
HandleBar:Steel 22.2*680mm*1.2T
Bottom Bracket:sealed bottom bracket
Freewheel:coaster brake

Chain:TaYa Tb410
Pedal: Alloy
Tire:KenDa K927 26*2.125

OE-26-455



Frame: 26"*18" Steel Frame

Front Fork: Steel Front

Fork/Handlebar: 22.2*680mm*1.2T, Steel

Bottom Bracket: Sealed bottom bracket

Brake: Coaster brake

Chain: TaYa Tb410

Pedal: YongHua YH-44X Alloy

Tire: WanDa P1197

OE-26-366



Frame: 26" * 17" Steel Bike Frame
Front Fork: Steel front fork
HandleBar: Steel 22.2 * 680mm * 1.2T
Chain: TaYa TB410
Pedal: Plastic
Tire: WanDa P1197 26 * 2.125

Bottom Bracket: Sealed bottom bracket
Freewheel: Coaster brake

OE-24-346



Frame:24"×17"Steel
Fork:24"Steel
Stem:JTA605
Chainwheel:44T Single Chaincover
Tire:MiLanDa 24 *2.125
Rim:Alloy Rim Brake:Coaster Brake

Pedal:Alloy Pedal With Bead

OE-26-780



Frame:26"×17"Steel
Fork:26"Steel
Stem:Aluminum
Chainwheel:44T Single Chaincover
Tire:KENDA 26 *2.125
Rim:Double wall Aluminum 25mm Rim

Freewheel:ATA 14-28T
Brake:Z-STAR Aluminum V Brake
Shifter:SHIMANO RS35 7SP
Derailleur: R:SHIMANO TY300
Pedal:YH Aluminum Pedal

OE-26-474



Frame: 26"×17" Aluminum
Fork: 26" Steel
Stem: Aluminum
Chainwheel: 44T Single Chaincover
Tire: WANDA 26 *2.125

Rim: Double wall Aluminum 25mm Rim
Brake: Coaster Brake
Derailleur: 1 SP
Pedal: Aluminum Pedal

OE-26-446



Frame: 26"*15" Steel Frame
Front Fork: Steel Front Fork
Handlebar: 22.2*680mm*1.2T, Steel
Bottom Bracket: Sealed bottom bracket
Brake: Coaster brake

Chain: TaYa Tb410
Pedal: Neco Plastic Pedal
Tire: WanDa P1197

OE-931-6



Frame: 24" * 4.0 Alloy Fat Suspension Bike Frame
 Front Fork: Moma M-686TDH 24" * 4.0 Lock-out adjustable
 thru-axle front fork, with suspension
 Brake: WuXing, 240PYD Alloy, Hydraulic Disc Brake
 Freewheel: Shimano TZ500-7
 Pedal: YongHua, YH-44X Alloy, ABS Reflectors
 Shifter: Shimano TX50-7
 Derailleur: Shimano RD-TY300-GSD

Tire: KenDa K1167 24" * 4.0
 Controller: 48V Controller; With EN15194 Certificate
 Display: L-208 LCD
 Display Switch: WuXing Two-in-one switch: headlight & display
 switch Throttle: WuXing, TT-010
 Battery: XiFeng 48V * 13AH * 1000W
 Charger: XiFeng; With CE Certificate

OE-700C-678-4



Frame:700C" Aluminum
Fork:700C"Aluminum Fork
Tire:KENDA 700C*38C
Brake:SHIMANO Hydraulic Disc Brake
Deraillieur:SHIMANO 8SP
Display:High-Definition LCD Display

Motor:36V 250W Hub Brushless Motor
Battery:36V -10.2Ah Lithium Battery
Controller:36V Aluminum
Charging Time:5-7H
Max speed:35-40km/h

OE-700C-141-4



Frame: 700C*35C*18" Alloy frame
 Front Fork: 700C*35C" Alloy front fork
 Head Set: KenLi, KL-B330
 Pedal: YongHua, YH-44X Alloy, beads
 Front Hub: ShengFu, SF-B07F, Alloy, bearing
 Rear motor: BaFang, RM G370.250.DC, 36V250W motor hub
 Tire: KenDa, K197, 700C*35C
 Inner Tube: KenDa, 700C*35C butyl rubber

Shifter: Shimano, M315-8
 Deraillleur: Shimano, RD-M310
 Freewheel: Shimano, HG-200-8 8
 Brake: Shimano MT200, Alloy, Hydraulic brake
 Display: DongMei, M9-1
 Controller: Dongmei, 6F0C, 36V
 Battery: XiFeng, 36V-10.5AH
 Charger: XiFeng, 36V 2A

OE-700C-454-3



Frame: 700C*35C*18" Alloy frame
 Front Fork: 700C*35C" Alloy front fork
 Head Set: KenLi, KL-310
 Bottom Bracket: KenLi, KL-08A, sealed bottom bracket
 Crank: HongJunTeng, steel, black teeth
 Pedal: YongHua, YH-44X Alloy, beads
 Front Hub: ShengFu, SF-B07F, Alloy, bearing
 Rear motor: LvAnXing, LAX-H36V250W motor hub
 Tire: KenDa, K197, 700C*35C

Inner Tube: KenDa, 700C*35C butyl rubber
 Shifter: Shimano, M315-7
 Derailleur: Shimano, RD-TY300
 Flywheel: Shimano, FMTZ500-7
 Brake: Shimano MT410, Alloy, Power outage Hydraulic brake
 Display: Dongmei, M8-1, 36V
 Controller: Dongmei, 36V
 Battery: XiFeng, 36V-10.4AH
 Charger: XiFeng, 36V 2A

OE-700C-374-3



Frame: 700C*35C*18" Alloy frame
Front Fork: 700C*35C" Alloy Suspension front fork
Head Set: KenLi, KL-B310
Bottom Bracket: KenLi, KL-08A, sealed bottom bracket
Pedal: YongHua, YH-44X Alloy, beads
Front Hub: ShengFu, SF-B07F, Alloy, bearing
Rear motor: LvAnXing, LAX-H36V250W motor hub
Tire: KenDa, K197, 700C*35C
Inner Tube: KenDa, 700C*35C butyl rubber

Shifter: Shimano, M315-7
Derailleur: Shimano, RD-TY300
Freewheel: Shimano, FMTZ500-7
Brake: SiMaers, Alloy, Hydraulic brake
Display: Dongmei, Tc618
Controller: Dongmei, 6F0C, 36V
Battery: XiFeng, 36V-10.5AH
Charger: XiFeng, 36V 2A

OE-20-704-6



Frame:26" Aluminum
Fork:26" Aluminum Lockout Suspension Fork
Tire:KENDA 26*1.95
Brake:Mechanical Disc Brake
Derailleur:SHIMANO 24SP
Display:High-Definition LCD Display

Motor:36V 250W Hub Brushless Motor
Battery:36V -10.2Ah Lithium Battery
Controller:36V Aluminum
Charging Time:5-7H
Max speed:25-30km/h

OE-20-257-2



Frame:20"*16.5 Steel Folding Fat Bike Frame
Front Fork:20"*4.0 Alloy shoulder Suspension front fork
Crank:Steel,black teeth
Chain:KMC S7
Pedal: YongHua,Half-Alloy folding pedal,YH-99X
Tire:KenDa K1167 20"*4.0
Shifter: Shimano SL-TX50-7

Deraillieur: Shimano RD-TY200
Flywheel:Shimano TZ500
Brake:Five Star 47PDD
Controller:DongMei 48V
Battery:XiFeng 48V-10A
Charger: XiFeng 48V

OE-20-601-2



Frame: 20" * 16" Alloy Folding Bike Frame
 Front Fork: Half-alloy crown locking adjustable front fork
 Pedal: YongHua, 39X Plastic folding pedal
 Tire: KenDa K1167 20 * 4.0
 Crank: Prowheel Alloy
 Shifter: Shimano SL-TX50-7

Derailleur: Shimano RD-TY200
 Freewheel: Shimano Tz500
 Motor: LangYi 48V/500W
 Controller: LANGYI 48V
 Battery: Teng Ying 48V-10Ah
 Charger: Teng Ying 48V

OE-20-646-2



Frame: 20" * 11.5 Magnesium Alloy Folding Bike Frame
Front Fork: 20" Magnesium Alloy hard front fork
Head Set: KenLi, KL-B310 Perrin
Bottom Bracket: KenLi, KL-08AL sealed bottom bracket
Pedal: YongHua, YH-39X Alloy

Tire: KenDa K130 20" * 2.125 Black Tire
Brake: Five Star Alloy
Controller: DongMei, With EN15194 Certificate
Battery: XiFeng, 36V * 10AH
Charger: XiFeng, With CE Certificate

OE-26-688-2



Frame:26"Aluminum
Fork:26"Aluminum Lockout Suspension Fork
Tire:CST 26*4.0
Brake:Mechanical Disc Brake
Deraillieur:SHIMANO 8SP
Display:High-Definition LCD Display

Motor:48V 350W Hub Brushless Motor
Battery:48V -8.7Ah Lithium Battery
Controller:48V Aluminum
Charging Time:5-7H
Max speed:35-40km/h

OE-27.5-803-1



Frame: 27.5" * 17" Alloy frame
Front Fork: 27.5" Steel shoulder Lockouting adjustable front fork
Crank Set: Prowheel AC49, Alloy
Pedal: YongHua, YH-44X, plastic
Front Hub: ShengFu, SF-B07F, Alloy
Rear motor: LangYi, LY0636V250W motor hub
Tire: KenDa, K1177, 27.5" * 2.125

Shifter: Microshift 21 Speed
Derailleur: Shimano FD-TZ 500; RD-TZ500, 7 Speed Positing
Freewheel: Shimano Tz500
Display: LangYi, G51
Controller: LangYi, 36V
Battery: XiFeng, 36V-7.8AH
Charger: XiFeng, 36V

OE-26-346-1



Frame:26"×17"Steel frame
Fork:26"Steel
Battery:TengYing 36V-7.8A
Motor:LangYi 36V250W
Controller:LangYi 36V controler
Display:LangYi En06

Tire: 26 *2.125
Rim:26 Alloy RimFreewheel:SaiGuan 14-28T 7PCS
Shifter:SaiGuan EF-51
Derailleur:SaiGuan FD-TZ 50
Pedal:YongHua YH-181X
MOQ:310PCS

OE-26-280-2



Frame:26" Aluminum
Fork:26" Aluminum Lockout Suspension Fork
Tire:KENDA 26*1.95
Brake:Mechanical Disc Brake
Deraillieur:SHIMANO 24SP
Display:High-Definition LCD Display

Motor:36V 250W Hub Brushless Motor
Battery:36V -10.2Ah Lithium Battery
Controller:36V Aluminum
Charging Time:5-7H
Max speed:25-30km/h

OE-26-815-1



Frame:26" Aluminum
Fork:26"Steel Suspension Fork
Tire:COMPASS 26*1.95
Brake:Mechanical Disc Brake
Deraillieur:SAIGUAN 24SP
Display:High-Definition LCD Display

Motor:36V 250W Hub Brushless Motor
Battery:36V -8.7Ah Lithium Battery
Controller:36V Aluminum
Charging Time:5-7H
Max speed:25-30km/h

OE-700C-483-1



Chain:TaYa Tb50

Crank Set:Prowheel 1/2"*3/32"36T

Bottom Bracket:Sealed bottom bracketHandleBar:22.2*25.4*580L;Steel

Front Fork:700C Steel front fork

Tire:KenDa K193 700C(622)X32C,Black

Frame:700C*35C*17" Steel Bike Frame

Pedal: YongHua, YH-6X, Plastic Pedal

Shifter: Shimano RS35-6

Deraillieur: Shimano RD-TZ500

Display:LangYi LY-EN06 36V

Controller:LangYi 36V

Battery:XiFeng 36V5.2A

Charger:XiFeng 36V2A

OE-20-369-2



Frame:20"Steel Fork:20"Steel
 Tire:CST 20*4.0
 Brake:Mechanical Disc Brake
 Derailleur:SHIMANO 7SP
 Display:High-Definition LCD Display

Motor:36V 350W Hub Brushless Motor
 Battery:36V -8.7Ah Lithium Battery
 Controller:36V Aluminum
 Charging Time:5-7H
 Max speed:25-30km/h

OE-16-348-1



Frame&Fork:16"Steel

Display:High-Definition LED Display

Motor:48V 350W Hub Brushless Motor

Battery:48V -12Ah Lead-acid Battery

Controller:48V Aluminum

Brake:Mechanical Drum brake

Tire:16*2.50

Charging Time:5-7H

Max speed:30-35km/h

OE-24-618



Frame:24"Steel
Fork:24"Steel
Chainwheel:40T P Type
Tire: 24 *1.95
Rim:Aluminum Rim 36H

Deraillieur:SHIMANO 7SP
Brake:F:Caliper Brake R:Band Brake
Basket:On the Rear

OE-24-555



Frame:24"Steel
Fork:24"Steel
Chainwheel:40T P Type
Tire: 24 *1.95
Rim:Aluminum Rim 36H

Brake:F:Caliper Brake R:Band Brake
Basket:On the Rear

OE-24-796



Frame:24"Steel
Fork:24"Steel
Chainwheel:40T P Type
Tire:24 *1.95
Rim:Aluminum Rim 36H

Brake:F:Caliper Brake R:Band Brake
Warm-box:On the Rear

OE-14-143-2



Driving Type:Electric
Display:High-Definition LED Display
Motor:500W Hub Brushless Motor
Battery:48V-20Ah Lead-acid Battery
Controller:48V 12Tubes
Brake:Mechanical Drum brake

Wheel:300-8 Steel
Gears:3 SP
Charging Time:4-6H
Max speed:30-40km/h
Loading capacity:300-400Kg

OE-16-396-2



Driving Type:Electric
Display:High-Definition LED Display
Motor:500W Hub Brushless Motor
Battery:48V-20Ah Lead-acid Battery
Controller:48V 12Tubes
Brake:Mechanical Drum brake

Wheel:300-10 Steel
Gears:3 SP
Charging Time:4-6H
Max speed:30-40km/h
Loading capacity:150-200Kg

OE-14-847-1



Driving Type:Electric
 Display:High-Definition LED Display
 Motor:500W Hub Brushless Motor
 Battery:48V-20Ah Lead-acid Battery
 Controller:48V 12Tubes
 Brake:Mechanical Drum brake

Wheel:F:300-8 Aluminum R:300-8 Steel
 Gears:3 SP
 Charging Time:4-6H
 Max speed:30-40km/h
 Loading capacity:150-200Kg

OE-14-825-1



Driving Type:Electric
Display:High-Definition LED Display
Motor:500W Hub Brushless Motor
Battery:48V-20Ah Lead-acid Battery
Controller:48V 12Tubes
Brake:Mechanical Drum brake

Wheel:300-8 Steel
Gears:3 SP
Charging Time:4-6H
Max speed:30-40km/h
Loading capacity:150-200Kg